



Peptagon Labs

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

KLOW
8U4Y-MNVU
07/14/2026
07/24/2026



DECLARED IDENTITY KPV, GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)
MATRIX TYPE: PEPTIDE BLEND
SAMPLE NAME: KLOW
SAMPLE SIZE: 80.0 mg
LOT CODE: KLOW80N041526




91.16 mg
Total Quantity



99.71%
Total Blend Purity

Sample	Test	Specification	Result	Status
Peptide Blend	IDENTITY	KPV, GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)	KPV, GHK-Cu, BPC-157, TB500 (Thymosin Beta 4)	CONFORMS
Peptide Blend	QUANTITY	MEASURE	91.16 mg	MEASURED
Peptide Blend	PURITY	> 98.0%	99.71%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
07/24/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
07/24/2026

ACCUMARKLABS.COM
8U4Y-MNVU
07/24/2026





Peptagon Labs

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

KLOW
8U4Y-MNVU
07/14/2026
07/24/2026

Sample	Test	Specification	Result	Status
Peptide Blend	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Peptide Blend	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

Analyte	Test	Specification	Result	Status
KPV	IDENTITY	KPV	KPV	CONFORMS
KPV	QUANTITY	MEASURE	11.887 mg	MEASURED
KPV	PURITY	> 98.0%	99.308%	CONFORMS
GHK-Cu	IDENTITY	GHK-Cu	GHK-Cu	CONFORMS
GHK-Cu	QUANTITY	MEASURE	58.285 mg	MEASURED
GHK-Cu	PURITY	> 98.0%	99.873%	CONFORMS
BPC-157	IDENTITY	BPC-157	BPC-157	CONFORMS
BPC-157	QUANTITY	MEASURE	10.536 mg	MEASURED
BPC-157	PURITY	> 98.0%	99.127%	CONFORMS
TB500 (Thymosin Beta 4)	IDENTITY	TB500 (Thymosin Beta 4)	TB500 (Thymosin Beta 4)	CONFORMS
TB500 (Thymosin Beta 4)	QUANTITY	MEASURE	10.449 mg	MEASURED
TB500 (Thymosin Beta 4)	PURITY	> 98.0%	99.826%	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:

Anthony Burke
Anthony Burke PhD
Lab Manager
07/24/2026

Dr. Levi Fried
Dr. Levi Fried MD
Lab Director
07/24/2026

ACCUMARKLABS.COM
8U4Y-MNVU
07/24/2026

